



**MäLgre** मेल्वे®





# LEADING MANUFACTURER & EXPORTER OF SAFETY FOOTWEAR



## (मेलग्रे कंपनी के उद्देश्य)

1. मेलग्रे कंपनी का उद्देश्य मुख्य रूप से समाज के सभी वर्गों के लोगों की सुरक्षा को ध्यान में रखते हुए निम्न श्रेणी से लेकर उच्च श्रेणी के सेफ्टी प्रोडक्टस उपलब्ध कराना है।
2. हमारा मुख्य उद्देश्य ग्राहक सुरक्षा और ग्राहक संतुष्टि पर केंद्रित रहना है।
3. हमारा मुख्य उद्देश्य ग्राहक को कम से कम कीमत पर अच्छी से अच्छी गुणवत्ता के प्रोडक्टस उपलब्ध कराना है।
4. हमें सुरक्षा उद्योग का पिछले 20 साल से अधिक का अनुभव है।
5. हमारा हर एक प्रोडक्ट हमारे क्वालिटी विभाग से चेक होकर ग्राहक तक पहुँचता है।





# SAFETY SHOES





**KNITTED MS 204**

**Sole :** PU Sole  
**Upper :** Knitted Upper  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



IS :15298  
  
 PART-3  
 CM/L -8100146507



IS :15298  
  
 PART-3  
 CM/L -8100146507

**KNITTED MS 210**

**Sole :** PU Sole  
**Upper :** Knitted Upper  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45

**KNITTED MS 215**

**Sole :** Sole PU  
**Upper :** Knitted Upper  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



IS :15298  
  
 PART-3  
 CM/L -8100146507



ANTI-SKID



LINING BREATHABLE



OIL & ACID RESISTANT (sole only)



TOE IMPACT RESISTANT



SHOCKPROOF (Special Order)





IS :15298



PART-3  
CM/L -8100146507

**LOGIN**

**Sole :** PU Sole  
**Upper :** Composite Leather  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 6 to 10 / 40 to 44

**FABB**

**Sole :** High Density PVC Dual  
**Upper :** High Quality Synthetic Leather  
**Toe Cap :** IS:15298  
**Style :** High Ankle  
**Size :** 5 to 11 / 39 to 45



IS :15298



PART-3  
CM/L -8100146507

**AWESOME**

**Sole :** High Density PVC Injected  
**Upper :** High Quality Synthetic Leather  
**Toe Cap :** IS:15298  
**Style :** High Ankle  
**Size :** 5 to 11 / 39 to 45



IS :15298



PART-3  
CM/L -8100146507

**MS 05**

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 5 to 11 / 39 to 44



IS :15298



PART-3  
CM/L -8100146507



ANTI-SKID



LINING  
BREATHABLE



OIL & ACID  
RESISTANT  
(sole only)



TOE IMPACT  
RESISTANT



SHOCK PROOF  
(Special Order)



**BESTGO**

**Sole :** High Density PVC Injected  
**Upper :** High Quality Synthetic Leather  
**Toe Cap :** IS:15298  
**Style :** High Ankle  
**Size :** 6 to 11 / 40 to 45



IS :15298  
  
 PART-3  
 CM/L -8100146507



IS :15298  
  
 PART-3  
 CM/L - 8100146507

**M4**

**Sole :** High Density PVC Injected  
**Upper :** High Quality Synthetic Leather  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



IS :15298  
  
 PART-3  
 CM/L -8100146507

**POWER PLUS**

**Sole :** High Density PVC Injected  
**Upper :** High Quality Synthetic Leather  
**Toe Cap :** IS:15298  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



**TPR-40**

**Sole** Thermoplastic Rubber  
**Upper** High Quality Synthetic Leather  
**Toe Cap** Yes  
**Style** Low Ankle  
**Size** 6 to 10 / 40 to 45



ANTI-SKID



LINING  
BREATHABLE



OIL & ACID  
RESISTANT  
(sole only)



TOE IMPACT  
RESISTANT



SHOCKPROOF  
(Special Order)





**REGULAR / ORANGE**

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** High Ankle  
**Size :** 6 to 10 / 40 to 44

**REGULAR / BLACK**

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** High Ankle  
**Size :** 6 to 10 / 40 to 44



**GREEN / SPORTY**

**Sole :** High Density PVC Injected  
**Upper :** Knitted  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



**NEO / SPORTY**

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Size :** 5 to 11 / 39 to 45



**ANTI-SKID**



**LINING BREATHABLE**



**OIL & ACID RESISTANT (sole only)**



**TOE IMPACT RESISTANT**



**SHOCK PROOF (Special Order)**





## E-ONE

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Size :** 5 to 11 / 39 to 45

## INFO

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Size :** 5 to 11 / 39 to 45



## AXE

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



## ROCK

**Sole :** PVC Injected  
**Upper :** Synthetic Leather  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Size :** 6 to 11 / 40 to 45



ANTI-SKID



LINING  
BREATHABLE



OIL & ACID  
RESISTANT  
(sole only)



TOE IMPACT  
RESISTANT



SHOCKPROOF  
(Special Order)



**MaLgre**

**EXCLUSIVE RANGE**

**DÉCOR EXCLUSIVE**

**Sole :** PVC Virgin Quality  
**Upper :** PVC Virgin Quality  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Colour :** Transparent  
**Lining :** Cotton  
**Size :** 6 to 10 / 40 to 44



**MaLgre**

**REGULAR RANGE**

**DÉCOR SAFE**

**Sole :** High Density PVC Injected  
**Upper :** High Density PVC Injected  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Colour :** Black  
**Skin Fit :** Yes  
**Lining :** Cotton  
**Size :** 6 to 10 / 40 to 44



**DÉCOR RAINY**

**Sole :** High Density PVC Injected  
**Upper :** High Density PVC Injected  
**Toe Cap :** Yes  
**Style :** Low Ankle  
**Colour :** Black  
**Skin Fit :** No  
**Lining :** Cotton  
**Size :** 6 to 10 / 40 to 44



ANTI-SKID



LINING  
BREATHABLE



OIL & ACID  
RESISTANT  
(sole only)



TOE IMPACT  
RESISTANT



SHOCK PROOF  
(Special Order)



# GUM BOOTS







IS:12254  
  
CML - 8100089412

**RAINFALL 16**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** 3 Colour  
**Height :** 16"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45

**RAINFALL 16**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** 2 Colour  
**Height :** 16"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45



IS:12254  
  
CML - 8100089412



IS:12254  
  
CML - 8100089412

**RAINFALL 16**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** Black / Black  
**Height :** 16"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45



**CLOUD 14**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** 3 Colour  
**Height :** 14"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45



IS:12254  
  
CML - 8100089412



IS:12254  
  
CML - 8100089412

**CLOUD 14**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** 2 Colour  
**Height :** 14"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45



IS:12254  
  
CML - 8100089412

**CLOUD 14**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** Black / Black  
**Height :** 14"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45





IS:12254  
  
CML - 8100089412

**RAINFALL 12**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** 2 Colour  
**Height :** 12"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45

**RAINFALL 12**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** Black / Black  
**Height :** 12"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 5 to 11 / 39 to 45



IS:12254  
  
CML - 8100089412



IS:12254  
  
CML - 8100089412

**COLLAR BOOT-150**

**Sole :** Hard & Low Abrasion PVC  
**Upper :** Soft & Flexible PVC  
**Lining :** Synthetic  
**Colour :** Black / Black  
**Height :** 7"  
**Toe Cap :** IS:5852 Part 1 (Optional)  
**Size :** 6 to 11 / 40 to 45





IS:12254



CML -8100089412

**SPLASH 11**

<b>Sole :</b>	Hard & Low Abrasion PVC
<b>Upper :</b>	Soft & Flexible PVC
<b>Lining :</b>	Synthetic
<b>Colour :</b>	2 Colour
<b>Height :</b>	11"
<b>Toe Cap :</b>	IS:5852 Part 1 (Optional)
<b>Size :</b>	6 to 11 / 40 to 45

**SPLASH 11**

<b>Sole :</b>	Hard & Low Abrasion PVC
<b>Upper :</b>	Soft & Flexible PVC
<b>Lining :</b>	Synthetic
<b>Colour :</b>	Black / Black
<b>Height :</b>	11"
<b>Toe Cap :</b>	IS:5852 Part 1 (Optional)
<b>Size :</b>	6 to 11 / 40 to 45

IS:12254



CML -8100089412

**CHOTA GHODA**

<b>Sole :</b>	Hard & Low Abrasion PVC
<b>Upper :</b>	Soft & Flexible PVC
<b>Lining :</b>	Half Synthetic
<b>Colour :</b>	Black / Black
<b>Height :</b>	11"
<b>Toe Cap :</b>	Not Provided
<b>Size :</b>	7 to 10 / 41 to 44



## BUSY



<b>Sole :</b>	PVC
<b>Upper :</b>	PVC
<b>Lining :</b>	Not Provided
<b>Colour :</b>	Black
<b>Height :</b>	11"
<b>Toe Cap :</b>	Not Provided
<b>Size :</b>	7 to 10 / 41 to 44

## EVA GUMBOOT CROPS

<b>Sole :</b>	EVA
<b>Upper :</b>	EVA
<b>Lining :</b>	Not Provided
<b>Colour :</b>	Black / White / Yellow / Blue
<b>Height :</b>	14"
<b>Toe Cap :</b>	Not Provided
<b>Size :</b>	6 to 10 / 40 to 44



Light Weight  
100% Water Resistant  
& Anti Static

Application:  
Food Industry, Labs /  
Hospital, House Keeping  
& Agriculture



# SAFETY BELTS





Front



Back



## MODEL-R01

IS:3521



CML - 8100057104

### REGULAR RANGE

**FULL BODY HARNESS WITH SINGLE LANYARD**

Model	Material	Standard	Class	Rope Type	Lanyard Length Standard	Hook Type	Adjustability
R-01	High Quality Polypropylene	IS : 3521:2022	A	Single Lanyard	1.8Mt or Customised	Single Scaffolding	Chest, Shoulder & Thigh Straps
E-01	Polypropylene	IS : 3521:2022	A	Single Lanyard	1.8Mt or Customised	Single Scaffolding	Chest, Shoulder & Thigh Straps

Front



Back



## MODEL-E01

IS:3521



CML - 8100057104

### ECONOMIC RANGE

**FULL BODY HARNESS WITH SINGLE LANYARD**





**MODEL-R02**



**REGULAR RANGE**

**FULL BODY HARNESS WITH DOUBLE LANYARD**



Model	Material	Standard	Class	Rope Type	Lanyard Length Standard	Hook Type	Adjustability
R-02	High Quality Polypropylene	IS : 3521:2022	A	Double Lanyard	1.8Mt or Customised	Double Scaffolding	Chest, Shoulder & Thigh Straps
E-02	Polypropylene	IS : 3521:2022	A	Double Lanyard	1.8Mt or Customised	Double Scaffolding	Chest, Shoulder & Thigh Straps



**MODEL-E02**



**ECONOMIC RANGE**

**FULL BODY HARNESS WITH DOUBLE LANYARD**





## MODEL-R01SA



### REGULAR RANGE

**FULL BODY HARNESS  
WITH SINGLE LANYARD  
WITH SHOCK ABSORBER**

Model	Material	Standard	Class	Rope Type	Lanyard Length Standard	Shock Absorber	Hook Type	Adjustability
R-01SA	High Quality Polypropylene	IS : 3521:2022	A	Single Lanyard	1.8Mt or Customised	✓	Single Scaffolding	Chest, Shoulder & Thigh Straps
E-01SA	Polypropylene	IS : 3521:2022	A	Single Lanyard	1.8Mt or Customised	✓	Single Scaffolding	Chest, Shoulder & Thigh Straps



## MODEL-E01SA



### ECONOMIC RANGE

**FULL BODY HARNESS  
WITH SINGLE LANYARD  
WITH SHOCK ABSORBER**





## MODEL-R02SA



### REGULAR RANGE

**FULL BODY HARNESS  
WITH DOUBLE LANYARD  
WITH SHOCK ABSORBER**



Model	Material	Standard	Class	Rope Type	Lanyard Length Standard	Shock Absorber	Hook Type	Adjustability
R-02SA	High Quality Polypropylene	IS : 3521:2022	A	Double Lanyard	1.8Mt or Customised	✓	Double Scaffolding	Chest, Shoulder & Thigh Straps
E-02SA	Polypropylene	IS : 3521:2022	A	Double Lanyard	1.8Mt or Customised	✓	Double Scaffolding	Chest, Shoulder & Thigh Straps



## MODEL-E02SA



### ECONOMIC RANGE

**FULL BODY HARNESS  
WITH DOUBLE LANYARD  
WITH SHOCK ABSORBER**



Front



Back



**MODEL-HB1**

**COMMERCIAL RANGE**

**HALF BODY HARNESS  
WITH SINGLE LANYARD**





## MH-01 SNAP HOOK

**Material :** Alloy Steel  
**Min. Breaking Strength :** 22 KN  
**Plating :** Powder Coating



## MH-02 FORGED SCAFFOLD HOOK

**Material :** Alloy Steel  
**Min. Breaking Strength :** 22 KN  
**Plating :** Zinc/ Chrome/  
Powder Coating



## MH-03 SHEET SCAFFOLD HOOK

**Material :** Alloy Steel  
**Min. Breaking Strength :** 15 KN  
**Plating :** Zinc/ Chrome/  
Powder Coating



## MH-04 TOWER HOOK

**Material :** Alloy Steel  
**Min. Breaking Strength :** 23 KN  
**Plating :** Zinc/ Chrome/  
Powder Coating



## MH-05 ALUMINIUM SCAFFOLD HOOK

**Material :** Aluminium Alloy  
**Min. Breaking Strength :** 20 KN  
**Plating :** Powder Coating



## MH-06 SWIVEL HOOK

**Material :** Alloy Steel  
**Min. Breaking Strength :** 23 KN  
**Plating :** Powder Coating





## MH-07 OVAL SHAPE KARABINER

**Material :** Alloy Steel  
**Min. Breaking Strength :** 23 KN  
**Plating :** Zinc Plating



## MH-08 AUTO LOCK KARABINER

**Material :** Alloy Steel  
**Min. Breaking Strength :** 23 KN  
**Plating :** Zinc Coating



## MH-09 D SHAPE KARABINER

**Material :** Alloy Steel  
**Min. Breaking Strength :** 15 KN  
**Plating :** Zinc Plating



## MH-10 S. S. KARABINER

**Material :** Stainless Steel  
**Min. Breaking Strength :** 23 KN  
**Plating :** Zinc Plating



## MH-11 SCREW LOCKING KARABINER

**Material :** Alloy Steel  
**Min. Breaking Strength :** 23 KN  
**Plating :** Zinc Plating



## MH-12 12MM ROUND KARABINER

**Material :** Alloy Steel  
**Min. Breaking Strength :** 15 KN  
**Plating :** Zinc Plating



**OUR DEALER'S NETWORK ARE SPREAD  
ALL ACROSS PAN INDIA**



**Mälgre** मेलग्रे

**मेलग्रे सेफ्टी सॉल्यूशन प्राइवेट लिमिटेड  
आपकी सुरक्षा के लिए वचनबद्ध है।**

**MALGRE SAFETY SOLUTIONS (P) LTD.**

**W.E.F -01/JAN/2024**



For more info  
scan QR code

Contact Us for more info



+91-7827991505



+91-7827991505



[www.malgresafety.com](http://www.malgresafety.com)



[malgresafety@gmail.com](mailto:malgresafety@gmail.com)